Volume 192 1990

Table of contents

No. 1 1–244 issued on August 28, 1990
No. 2 245–562 issued on September 11, 1990
No. 3 563–822 issued on September 24, 1990

Information for Authors 817–822

Reviews

Nonribosomal biosynthesis of peptide antibiotics
H. Kleinkauf and H. von Döhren 1– 15

Biologically active products of stimulated liver macrophages (Kupffer cells)
K. Decker 245–261

Techniques in plant molecular biology – progress and problems
R. Walden and J. Schell 563–576

Nucleic acids, protein synthesis and molecular genetics

Phylogenetic and biochemical evidence for a secondary structure model of a small cytoplasmic RNA from *Bacilli*
J. C. R. Struck and V. A. Erdmann 17– 24

Cycloheximide induces stromelysin mRNA in cultured human fibroblasts
Y. Otani, S. Quinones, J. Saus, M. Kurkinen and E. D. Harris Jr 75– 79

A guanyloribonuclease of mouse liver cytosol
A. Pantazaki and J. G. Georgatsos 115–117

Structure of the genes of two homologous intracellularly heterotopic isoenzymes – Cytosolic and mitochondrial aspartate aminotransferase of chicken
N. Juretić, U. Mattes, M. Ziak, P. Christen and R. Jaussi 119–126

Expression of the chemically synthesized coding region for the cytotoxin α-sarcin in *Escherichia coli* using a secretion cloning vector
P.-P. C. Henze, U. Hahn, V. A. Erdmann and N. Ulbrich 127–131

Primary structure requirements for the maturation *in vivo* of penicillin acylase from *Escherichia coli* ATCC 11105
D. Sizmann, C. Keilmann and A. Böck 143–151

Primary structure of sorghum malate dehydrogenase (NADP) deduced from cDNA sequence – Homology with malate dehydrogenase (NAD)
C. Crétin, P. Luchetta, C. Joly, P. Decottignies, L. Lepiniec, P. Gadal, M. Sallantin, J.-C. Huet and J.-C. Pernollet 299–303

Fluoroaluminates do not affect the guanine-nucleotide binding centre of the peptide chain elongation factor EF-Tu
B. Kraal, J. M. de Graaf, J. R. Mesters, P. J. M. van Hoof, E. Jacquet and A. Parmeggiani 305–309

Transcription factor TFIIIA stimulates DNA supercoiling promoted by a fractionated cell-free extract from *Xenopus laevis*
J. A. M. Sekiguchi, A. D. Cole, K. H. Gardner and E. B. Kmiec 311–320

The multifunctional 6-methylsalicylic acid synthase gene of *Penicillium patulum* – Its gene structure relative to that of other polyketide synthases
J. Beck, S. Ripka, A. Siegner, E. Schiltz and E. Schweizer 487–498

Regulated expression and phosphorylation of the 23–26-kDa *ras* protein in the sponge *Geodia cydonium*
A. Robitzki, H. C. Schröder, Đ. Ugarković, Y. Kuchino, B. Kurelec, V. Gamulin and W. E. G. Müller 499–506

cDNA cloning of human-milk bile-salt-stimulated lipase and evidence for its identity to pancreatic carboxylic ester hydrolase
J. Nilsson, L. Bläckberg, P. Carlsson, S. Enerbäck, O. Hernell and G. Bjursell 543–550

Regulation of heme oxygenase gene expression by cobalt in rat liver and kidney
J. H.-C. Lin, P. Villalon, P. Martasek and N. G. Abraham 577–582

Nitrous oxide reductase from denitrifying *Pseudomonas stutzeri* – Genes for copper-processing and properties of the deduced products, including a new member of the family of ATP/GTP-binding proteins
W. G. Zumft, A. Viebrock-Sambale and C. Braun 591–599

Direction of the DNA-unwinding reaction catalysed by *Escherichia coli* DNA helicase II
P. Georgi-Geisberger and H. Hoffmann-Berling 689–693

Electron microscopic analysis of DNA forks generated by *Escherichia coli* DNA helicase II
R. Wessel, H. Müller and H. Hoffmann-Berling 695–701

The complete primary structure of two distinct forms of human α1(IX) collagen chains
Y. Muragaki, T. Kimura, Y. Ninomiya and B. R. Olsen 703–708

Construction and characterization of a recombinant murine monoclonal antibody directed against human fibrin fragment-D dimer
A.-M. Vandamme, F. Bulens, H. Bernar, L. Nelles, R. H. Lijnen and D. Collen 767–775

Characterization of the transcription-initiation site and of the promoter region within the 5′ flanking region of the human aldolase C gene
P. Buono, F. P. Mancini, P. Izzo and F. Salvatore 805–811

Protein chemistry and structure

Complete amino-acid sequence of glyceraldehyde-3-phosphate dehydrogenase from the hyperthermophilic eubacterium *Thermotoga maritima*
V. Schultes, R. Deutzmann and R. Jaenicke 25–31

Protein HMG-17 is hyper-expressed in rat glucagonoma. Single-step isolation and sequencing
E. Nielsen, B. Welinder and O. D. Madsen 81–86

Mitosis-specific histone H3 phosphorylation *in vitro* in nucleosome structures
K. Shibata, M. Inagaki and K. Ajiro 87–93

Characterization of matteuccin, the 2.2S storage protein of the ostrich fern — Evolutionary relationship to angiosperm seed storage proteins
J. Rödin and L. Rask 101–107

The folding and solution conformation of penicillin G acylase
C. D. Lindsay and R. H. Pain 133–141

A critical crosslink region in human-bone-derived collagen type I — Specific cleavage site at residue Leu95
B. Bätge, H. Notbohm, J. Diebold, H. Lehmann, M. Bodo, R. Deutzmann and P. K. Müller 153–159

Citrate lyase from *Klebsiella pneumoniae* — The complete primary structure of the acyl lyase subunit
M. Hupperich, A. Henschen and H. Eggerer 161–166

Pyridoxal phosphate inhibits the DNA-binding activity of the ecdysteroid receptor
A. Ożyhar, H.-H. Kiltz and O. Pongs 167–174

Heat capacity and entropy changes of troponin C from bullfrog skeletal muscle induced by calcium binding
M. Imaizumi and M. Tanokura 275–281

Sequence-specific ^{1}H-NMR assignment and conformation of proteolytic fragment 163–231 of bacterioopsin
I. L. Barsukov, G. V. Abdulaeva, A. S. Arseniev and V. F. Bystrov 321–327

A novel tubulin from *Mimosa pudica* — Purification and characterization
M. Pal, A. Roychaudhury, A. Pal and S. Biswas 329–335

Biochemical and immunochemical studies of proteolytic fragments of exotoxin A from *Pseudomonas aeruginosa*
S. Bourdenet, M.-J. Vacheron, M. Guinand, G. Michel and F. Arminjon 379–385

Amino acid sequences of four isoforms of amphioxus sarcoplasmic calcium-binding proteins
T. Takagi and J. A. Cox 387–399

The bovine plasma retinol-binding protein — Amino acid sequence, interaction with transthyretin, crystallization and preliminary X-ray data
R. Berni, M. Stoppini, M. C. Zapponi, M. L. Meloni, H. L. Monaco and G. Zanotti 507–513

Primary structure of the bovine analogues to human apolipoproteins CII and CIII — Studies on isoforms and evidence for proteolytic processing
G. Bengtsson-Olivecrona and K. Sletten 515–521

Subunit constitution of carbonic anhydrase from *Chlamydomonas reinhardtii*
T. Kamo, K. Shimogawara, H. Fukuzawa, S. Muto and S. Miyachi 557–562

Conformational transitions within the head and at the head-rod junction in smooth muscle myosin studied with a limited proteolysis method
M. J. Rędowicz, A. Sobieszek and H. Strzelecka-Gołaszewska 601–608

Primary structure of the oligo-1,6-glucosidase of *Bacillus cereus* ATCC7064 deduced from the nucleotide sequence of the cloned gene
K. Watanabe, K. Kitamura, H. Iha and Y. Suzuki 609–620

Thymosins: both nuclear and cytoplasmic proteins
J. D. Watts, P. D. Cary, P. Sautiere and C. Crane-Robinson 643–651

Isolation and characterization of cytochrome c_{550} from the methylamine-oxidizing electron-transport chain of *Thiobacillus versutus*
A. Lommen, A. Ratsma, N. Bijlsma, G. W. Canters, J. E. van Wielink, J. Frank and J. Van Beeumen 653–661

Effect of nucleotides, actin and temperature on thermolysin digestion of myosin subfragment-1
A. Muhlrad and N. Chaussepied 663–668

The complete amino-acid sequences of human ganglioside GM2 activator protein and cerebroside sulfate activator protein
W. Fürst, J. Schubert, W. Machleidt, H. E. Meyer and K. Sandhoff 709–714

The formation of protein complexes between ferricytochrome b_5 and ferricytochrome *c* studied using high-resolution ^{1}H-NMR spectroscopy
D. Whitford, D. W. Concar, N. C. Veitch and R. J. P. Williams 715–721

De-ADP-ribosylation actin by *Clostridium perfringens* iota-toxin and *Clostridium botulinum* C2 toxin
I. Just, U. Geipel, A. Wegner and K. Aktories 723–727

Primary structure of profilins from two species of Echinoidea and *Physarum polycephalum*
T. Takagi, I. Mabuchi, H. Hosoya, K. Furuhashi and S. Hatano 777–781

Enzymology

Kinetics and specificities of two closely related β-glucosidases secreted by *Schizophyllum commune*
A. C. Lo, J.-R. Barbier and G. E. Willick 175–181

Metabolic control analysis — The effects of high enzyme concentrations
D. A. Fell and H. M. Sauro 183–187

Effect of Mn(II) on reactions catalyzed by lignin peroxidase from *Phanerochaete chrysosporium*
J.-J. Bono, P. Goulas, J.-F. Boe, N. Portet and J.-L. Seris 189–193

Purification and properties of phosphoribosyldiphosphate synthetase from *Bacillus subtilis*
K. Arnvig, B. Hove-Jensen and R. L. Switzer 195–200

Homogeneous preparation of human thymidine-5'-triphosphatase by electroelution from SDS/PAGE with subsequent renaturation
B. C. Schultes and N. Dahlmann 201–205

Simian immuno-deficiency virus reverse transcriptase. Purification and partial characterization
G. Kraus, E. Behr, M. Baier, H. König and R. Kurth 207–213

Large-scale purification of choline acetyltransferase and production of highly specific antisera
C. Ostermann, U. Dickmann, T. Muley and M. Mäder 215–218

On the roles of magnesium and spermidine in the isoleucyl-tRNA synthetase reaction — Analysis of the reaction mechanism by total rate equations
R. K. Airas 401–409

Purification and properties of a NADH-dependent 5,10-methylenetetrahydrofolate reductase from *Peptostreptococcus productus*
G. Wohlfarth, G. Geerligs and G. Diekert 411–417

Inhibition of human immunodeficiency virus 1 reverse transcriptase by 3'-azidothymidine triphosphate
O. Heidenreich, M. Kruhøffer, F. Grosse and F. Eckstein 621–625

Mechanism of action of urocanase — Specific ^{13}C-labelling of the prosthetic NAD^+ and revision of the structure of its adduct with imidazolylpropionate
J. Klepp, A. Fallert-Müller, K. Grimm, W. E. Hull and J. Rétey 669–676

NADP-dependent malate dehydrogenase (decarboxylating) from sugar cane leaves — Kinetic properties of different oligomeric structures
A. A. Iglesias and C. S. Andreo 729–733

Purification and characterization of DNA ligase II from *Drosophila melanogaster*
M. Takahashi and K. Tomizawa 735–740

Carbohydrates, lipids and other natural products

Chondroitin proteoglycans from squid skin. Isolation, characterization and immunological studies
N. K. Karamanos, A. J. Aletras, C. A. Antonopoulos, A. Hjerpe and C. P. Tsiganos 33– 38

A vitamin-K_2-binding factor secreted from *Bacillus subtilis*
H. Ikeda and Y. Doi 219–224

A ^1H-NMR study of electronic structure of the active site of *Galeorhinus japonicus* metmyoglobin
Y. Yamamoto, A. Ōsawa, Y. Inoue, R. Chûjô and T. Suzuki 225–229

The oligosaccharides of the glycoprotein pheromone of *Volvox carteri* f. *nagariensis* Iyengar (Chlorophyceae)
D. Balshüsemann and L. Jaenicke 231–237

Structural features of the lipopeptidophosphoglycan from *Trypanosoma cruzi* common with the glycophosphatidylinositol anchors
R. M. de Lederkremer, C. Lima, M. I. Ramirez and O. L. Casal 337–345

Hepatic processing and biliary secretion of the cholesteryl esters from β very-low-density lipoproteins in the rat
R. De Water, E. M. A. J. Hessels, H. F. Bakkeren and T. J. C. Van Berkel 419–425

Structure determination of five sialylated trisaccharides with core types 1, 3 or 5 isolated from bovine submaxillary mucin
A. V. Savage, C. M. Donoghue, S. M. D'Arcy, C. A. M. Koeleman and D. H. van den Eijnden 427–432

The spectrum of N-linked oligosaccharide structures detected by enzymic microsequencing on a recombinant soluble CD4 glycoprotein from Chinese hamster ovary cells
C.-T. Yuen, S. A. Carr and T. Feizi 523–528

Site-specific N-glycosylation of ovine lutropin — Structural analysis by one- and two-dimensional ^1H-NMR spectroscopy
G. Weisshaar, J. Hiyama and A. G. C. Renwick 741–751

A novel mycolic acid in a *Mycobacterium* sp. from the environment
M. Luquin, J. Roussel, F. Lopez-Calahorra, G. Lanéelle, V. Ausina and M.-A. Lanéelle 753–759

Physical and inorganic biochemistry

Conformational preferences of [Leu^5]enkephalin in biomimetic media — Investigation by ^1H NMR
D. Picone, A. D'Ursi, A. Motta, T. Tancredi and P. A. Temussi 433–439

Participation of a non-covalent phosphointermediate in ATP hydrolysis by the sarcoplasmic reticulum Ca^{2+}-transport ATPase
E. Fassold, W. Hasselbach and B. Küchler 627–631

Biotransformation of intracellular minerals by zinc ions *in vivo* and *in vitro*
M. G. Taylor, G. N. Greaves and K. Simkiss 783–789

Membranes and bioenergetics

Evaluation of the buffer capacity and permeability constant for protons in chromatophores from *Rhodobacter capsulatus*
M. P. Turina, G. Venturoli and B. A. Melandri 39– 47

Isolation of a gene for a regulatory 15-kDa subunit of mitochondrial F_1F_0-ATPase and construction of mutant yeast lacking the protein
Y. Yoshida, T. Sato, T. Hashimoto, N. Ichikawa, S. Nakai, H. Yoshikawa, F. Imamoto and K. Tagawa 49– 53

Chronic low-frequency stimulation of rabbit fast-twitch muscle induces partial inactivation of the sarcoplasmic reticulum Ca^{2+}-ATPase and changes in its tryptic cleavage
L. Dux, H. J. Green and D. Pette 95–100

The use of the Ca^{2+}-sensitive intramitochondrial dehydrogenases and entrapped fura-2 to study Sr^{2+} and Ba^{2+} transport across the inner membrane of mammalian mitochondria
J. G. McCormack and N. J. Osbaldeston 239–244

Characterization of the steady-state calcium fluxes in skeletal sarcoplasmic reticulum vesicles — Role of the Ca^{2+} pump
F. Soler, J. A. Teruel, F. Fernandez-Belda and J. C. Gomez-Fernandez 347–354

Stimulation of Ca^{2+} uptake into epididymal bull spermatozoa by analogues of amiloride
H. Breitbart, E. J. Cragoe Jr and H. A. Lardy 529–535

Reconstitution of translocation activity for secretory proteins from solubilized components of *Escherichia coli*
H. Tokuda, K. Shiozuka and S. Mizushima 583–589

Membrane topography of the subunits of ubiquinol—cytochrome-*c* oxidoreductase of *Saccharomyces cerevisiae* — The 14-kDa and the 11-kDa subunits face opposite sides of the mitochondrial inner membrane
W. Hemrika and J. A. Berden 761–765

Metabolism and metabolic regulation

Serine/threonine-specific protein kinase activity associated with viral $pp60^{src}$ protein
T. David-Pfeuty and Y. Nouvian-Dooghe 55– 61

Enhanced phosphorylation of a nucleolar 110-kDa protein in rat liver by dietary manipulation
A. Masumi, T. Suzuki, S. Iijima and K. Tsukada 63– 68

Fructose 1-phosphate and the regulation of glucokinase activity in isolated hepatocytes
D. R. Davies, M. Detheux and E. Van Schaftingen 283–289

Control of respiration and oxidative phosphorylation in isolated rat liver cells
G. C. Brown, P. L. Lakin-Thomas and M. D. Brand 355–362

Carbon-13 nuclear magnetic resonance analysis of [1-^{13}C]glucose metabolism in *Trypanosoma cruzi* — Evidence of the presence of two alanine pools and of two CO_2 fixation reactions
B. Frydman, C. de los Santos, J. J. B. Cannata and J. J. Cazzulo 363–368

Control analysis of systems having two steps catalyzed by the same protein molecule in unbranched chains
M. Cascante, E. I. Canela and R. Franco 369–371

Sequence of proton abstraction and stereochemistry of the reaction catalyzed by naphthoate synthase, an enzyme involved in menaquinone (vitamin K_2) biosynthesis
U. Igbavboa and E. Leistner 441–449

Expression of argininosuccinate lyase mRNA in foetal hepatocytes — Regulation by glucocorticoids and insulin
A. Husson, S. Renouf, A. Fairand, C. Buquet, M. Benamar and R. Vaillant 677–681

The role of fructose 2,6-bisphosphate in glycolytic oscillations in extracts and cells of *Saccharomyces cerevisiae*
Z. Yuan, M. A. Medina, A. Boiteux, S. C. Müller and B. Hess 791–795

Signal transduction and molecular neurobiology

Expression and characterization of the chick nicotinic acetylcholine receptor α-subunit in insect cells using a baculovirus vector
A. E. Atkinson, F. G. P. Earley, D. J. Beadle and L. A. King 451–458

Inhibition of inositol 1,4,5-trisphosphate metabolism in permeabilised SH-SY5Y human neuroblastoma cells by a phosphorothioate-containing analogue of inositol 1,4,5-trisphosphate
R. J. H. Wojcikiewicz, A. M. Cooke, B. V. L. Potter and S. R. Nahorski 459–467

Changes in the phosphorylation state of the inhibitory guanine-nucleotide-binding protein G_i-2 in hepatocytes from lean (Fa/Fa) and obese (fa/fa) Zucker rats
M. Bushfield, N. J. Pyne and M. D. Houslay 537–542

Molecular cell biology

Interaction of a new photosensitive derivative of vinblastine, NAPAVIN, with tubulin and microtubules *in vitro*
G. Nasioulas, K. Grammbitter, R. H. Himes and H. Ponstingl 69– 74

Phosphorylation of connexin 32, a hepatocyte gap-junction protein, by cAMP-dependent protein kinase, protein kinase C and Ca^{2+}/calmodulin-dependent protein kinase II
J. C. Sáez, A. C. Nairn, A. J. Czernik, D. C. Spray, E. L. Hertzberg, P. Greengard and M. V. L. Bennett 263–273

Novel proteins mediate an interaction between clathrin-coated vesicles and polymerizing actin filaments
D. S. Kohtz, V. Hanson and S. Puszkin 291–298

Synchronous differentiation of *Trypanosoma brucei* from bloodstream to procyclic forms *in vitro*
K. Ziegelbauer, M. Quinten, H. Schwarz, T. W. Pearson and P. Overath 373–378

Internalization of the cytotoxic molecules of T101 $F(ab')_2$—(ricin-A-chain) immunotoxin into human T-leukemic cells
S. Ravel and P. Casellas 469–473

Plasma membrane Fe_2-transferrin reductase and iron uptake in K562 cells are not directly related
H. Goldenberg, B. Dodel and D. Seidl 475–480

An anti-inflammatory protein secreted from the rat seminal vesicle epithelium inhibits the synthesis of platelet-activating factor and the release of arachidonic acid and prostacyclin
G. Camussi, C. Tetta, F. Bussolino, S. Metafora, G. Peluso, C. Esposito and R. Porta 481–485

Sorting pathways of mitochondrial inner membrane proteins
K. Mahlke, N. Pfanner, J. Martin, A. L. Horwich, F.-U. Hartl and W. Neupert 551–555

In vivo activation of a microtubule-associated protein kinase during meiotic maturation of the *Xenopus* oocyte
O. Haccard, C. Jessus, X. Cayla, J. Goris, W. Merlevede and R. Ozon 633–642

Activation of soluble guanylate cyclase by carbon monoxide and inhibition by superoxide anion
B. Brüne, K.-U. Schmidt and V. Ullrich 683–688

Specific interaction of vitronectin with the cell-secreted protease inhibitor glia-derived nexin and its thrombin complex
G. Rovelli, S. R. Stone, K. T. Preissner and D. Monard 797–803

Developmental biochemistry and immunology

N-Acetyl-L-galactosaminuronic acid as an epitope common to the O-polysaccharides of *Pseudomonas aeruginosa* serotype A and H (Homma) recognized by a protective human monoclonal antibody
S. Yokota, H. Ochi, I. Uezumi, H. Ohtsuka, K. Irie and H. Noguchi 109–113

Indexed in *Current Contents*